8.021

	Effective: 4-21-97
DCR No.: N/A	Supersedes: New
Revision No.: New	Revision Date: New
	Page No.: 1 of 3

1 Purpose

1.1 To establish a standard procedure for measuring octave sound pressure levels in indoor environments.

2 Scope

2.1 This procedure applies to all indoor environments for a large range of working and living conditions.

3 References

3.1 NEBB Procedural Standards for Certified Testing of Cleanrooms, Second Edition, 1996

4 Definition

4.1 TAB: Test, Adjust and Balance

5 Responsibility

- 5.1 TAB Manager is responsible for the final certified TAB reports.
- 5.2 Therma General Foreman (GF) and TAB Service Coordinator (SC) shall review and edit Sound Test Form for completeness.
- TAB technicians shall record all test data on Sound Test Form. (FN 8.021.1)
- 1.1 All test equipment utilized shall be in calibration in accordance with NEBB Standards and traceable to the National Institute of Standards and Technology (NIST).
- 2 Materials Requirement
 - 2.1 None

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF THERMA CORPORATION. ALL INFORMATION SHALL (A) BE RETAINED IN CONFIDENCE; (B) NOT BE REPRODUCED IN WHOLE OR IN PART; AND (C) NOT BE USED OR INCORPORATED IN ANY PRODUCT EXCEPT UNDER EXPRESSED WRITTEN AGREEMENT WITH THERMA CORPORATION.

Revision No.	SOP No.	Page
New	8.021	2 of 3

- 3 Test Equipment
 - 3.1 Sound Level Meter
- 4 General Procedures
 - 4.1 Choose different locations in the room/area.
 - 4.2 Measure octave band sound pressure levels according to different frequencies. (FN 8.021.1)
 - 4.3 Record the levels on Sound Test Form. (FN 8.021.1)
- 5 Review and Approval
 - 5.1 TAB Service Coordinator shall review the Sound Test Form for approval.

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF THERMA CORPORATION. ALL INFORMATION SHALL (A) BE RETAINED IN CONFIDENCE; (B) NOT BE REPRODUCED IN WHOLE OR IN PART; AND (C) NOT BE USED OR INCORPORATED IN ANY PRODUCT EXCEPT UNDER EXPRESSED WRITTEN AGREEMENT WITH THERMA CORPORATION.

Revision No.	SOP No.	Page
New	8.021	3 of 3

Document Approval

1 General Foreman

Service Manager

-15 -

Date

Date

Quality Assurance Manager

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF THERMA CORPORATION. ALL INFORMATION SHALL (A) BE RETAINED IN CONFIDENCE; (B) NOT BE REPRODUCED IN WHOLE OR IN PART; AND (C) NOT BE USED OR INCORPORATED IN ANY PRODUCT EXCEPT UNDER EXCEPTION EXPRESSED WRITTEN AGREEMENT WITH THERMA CORPORATION.